



# AUTOWALL



Single track sliding doors with top hung carriage system



## CHARACTERISTICS

▶ Application	Sliding doors
▶ Track	Single
▶ Carriage system	Top
▶ Top guide	Ball bearing carriage
▶ Bottom guide	Guide
▶ Construction	Board
▶ Filling	Board 18-32 mm
▶ Max. door load	40 kg
▶ Max. track length	1980 mm
▶ Textile door stops	n/a
▶ Anti-dust brushes	n/a
▶ Sales programme	ONE PACK
▶ Decorative profile programme	n/a

## USAGE

- ▶ Pathway doors, built-in furniture (walk-in wardrobes, wardrobes, attics)



Basic system components

System **AUTOWALL**




CODE	TYPE	Kg	COLLECTIVE PACKAGING	PRICED PER	NET PRICE
10176	LEFT	40	1	set	
10175	RIGHT	40	1	set	

**i** Components of right or left system

NAME	QUANTITY
Top track with AUTOWALL mechanism	1 pc.
Guide	1 pc.
Spanner	1 pc.
Screw $\varnothing 5 \times 30$	10 pcs
Screw $\varnothing 4 \times 16$	2 pcs
Screw $\varnothing 3.5 \times 20$	2 pcs



System AUTOWALL left







**COMPONENTS**


**AUTOWALL set (1 wing) – left or right**



- $\varnothing 5 \times 30$  - 10 pcs (for track and hor. profiles)
- $\varnothing 4 \times 16$  - 2 pcs (for the box with pulling mechanism)
- $\varnothing 3.5 \times 20$  - 2 pcs (for guide)



**Door height:**  
 **$h = H - 103 \text{ mm}$**



**Door assembly**

